

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B

luminance at low bit-rate (0.2 bpp)				
chroma at high bit-rate (or lossless)	layer 2			
desired remaining bits	layer 3			

FIG. 7




FIG. 8




FIG. 9

	1.00	69. VAT.	0 +0	+05 O	0 :	0 = 0 >	12
		220 90	0 7	14 0	14	14 7	ĭo
200 200 200	And the Part of the Part of the Control of the Control	63	0 36	36 35	36	0 46	0
864 FEB 884 KB2	A Company of the State of the S	88 16		102 213		6.	o'
0 132 81 84	0 108	47 45	0 (60	148 /87	29 1	40 8	0
8 284 7215 31		144 (28	0 (2)	247 29	14 7	74) 0	0
149 242 96 7	大河北京教育 医大型性神经	ALCOHOLD THE SAME OF		170 27	9 3 2 E	28 0	ő
151 228 38 31		arradian in sections (2)	CONTRACTOR SHAPE PROPERTY AND	146 8	0	40\ 000	3 :
0 0 0 73. 0 0 0 104	4,050 (0.00)	0 3 4 21 0	0 0	0 0	0	0 0 ò‡ 0;	0
7.75	100 CO 100 CO 100 CO	21 0 26 0	0.00	Part Control	PARK W	0 7 7 2	167
0 0 47 62	24 37	7 0	0 0 4	0 3		26 0	0
0 133 91 43	17 (18)	o o	0 5	3 / 23	2000 C	0 0	0
0 25 58 10	c 13 0 :	0 0	0 0	30 0	多数300 强	ò o	Ö
6 52 69 9	5 19	0.0	0 0	10 0	0	0 0	ō
0 14 78 18	0 0	ó. jó	0 0	0 0	Ö.	0 0	0

FIG. 10




FIG. 11




FIG. 12 BEST AVAILABLE COF